

Application No. 09/809,155  
Attorney Docket No.:2000P7500US01

RECEIVED  
CENTRAL FAX CENTER

SEP 04 2007

In the claims:

Without prejudice or surrender of subject matter, please amend the claims as follows:

1. (Previously presented) A computer programming method for use in controlling an automation process, said method comprising the steps of:  
providing on a first computer platform a programming by demonstration tool for combining programming of a control program and of its user interface and thereby producing the control program and its user interface at the same time, said programming by demonstration tool including a library of widgets, an editor operative to allow editing including manipulating any of said widgets and an inferencing engine for recording and processing said manipulation to produce executable code; and  
providing an input/output module, interfacing with said programming by demonstration tool, for coupling said widgets to input and output signals of an automation process, wherein said executable code is used to control said automation process.
2. (Previously presented) The method of claim 1, further comprising:  
providing a code compiler, said code compiler compiling said executable code to run on a second computer platform different from said first computer platform.
3. (Previously presented) The method of claim 2, wherein said first computer platform comprises a desktop operating system platform and said second computer platform comprises a PLC (programmable logic controller).
4. (Amended) The method of claim 1, wherein said widgets include user interface widgets that are used for providing feedback for a runtime monitoring and control of said automation process.

Application No. 09/809,155  
Attorney Docket No.:2000P7500US01

5. (Original) The method of claim 4, wherein said feedback is a visual change, animation, sound, other form of stimulus, triggering of an event, or a combination thereof.
6. (Amended) The method of claim 4, wherein the user interface\_widgets are further used for acquiring input data to allow user input for the runtime monitoring and control of said automation process.
7. (Previously presented) The method of claim 1, wherein said widgets include "machine widgets," "programming widgets," and "user interface widgets."
8. (Previously presented) A computer programming product for use in controlling an automation process, said product, comprising:  
a computer-readable medium embodying program code of a programming by demonstration tool for combining programming of a control program and of its user interface and thereby producing the control program and its user interface at the same time, wherein the program by demonstration tool includes a library of widgets, an editor operative to allow editing including manipulating any of said widgets, an inferencing engine for recording and processing said manipulation to produce executable code, and an input/output module for coupling said widgets to input and output signals of an automation process, wherein said executable code is used to control said automation process.
9. (Amended) The product of claim 8, wherein said program code is instantiated on a first computer platform, and wherein said programming by demonstration tool further comprises:  
a code compiler, said code compiler compiling said executable code to run on second computer platform different from said first computer platform.

Application No. 09/809,155  
Attorney Docket No.:2000P7500US01

10. (Previously presented) The product of claim 9, wherein said first computer platform comprises a desktop operating system platform and said second computer platform comprises a PLC (programmable logic controller).
11. (Amended) The product of claim 8, wherein said widgets include user interface widgets that are used for providing feedback for a runtime monitoring and control of said automation process.
12. (Original) The product of claim 11, wherein said feedback is a visual change, animation, sound, other form of stimulus, triggering of an event, or a combination thereof.
13. (Previously presented) The product of claim 11, wherein the user interface widgets are further used for acquiring input data to allow user input for the runtime monitoring and control of said automation process
14. (Original) The product of claim 8, wherein said program widgets include "machine widgets," "programming widgets," and "user interface widgets."
15. (Original) The product of claim 8, wherein said automation process comprises a home automation process, building automation process, an industrial automation process, or other automation-based process.
16. (Original) The product of claim 8, wherein said computer-readable medium comprises a floppy disk, a CD-ROM, a hard disk drive, a file downloadable from an internet site, magnetic tape, digital video disk, removable memory drive, or an email file.
17. (Original) The method of claim 2, wherein said automation process comprises a home automation process, building automation process, an industrial automation process, or other automation-based process.

Application No. 09/809,155  
Attorney Docket No.:2000P7500US01

18. (Previously presented) A method as in claim 1, wherein the library of widgets is commonly used for programming both the control program and its user interface.
19. (Previously presented) A product as in claim 8, wherein the library of widgets is commonly used for programming both the control program and its user interface.
20. (Previously presented) A computer programming method, comprising:  
activating a programming by demonstration tool;  
programming a control program; and programming a user interface for the control program, wherein the programming of the control program and its user interface are combined via the programming by demonstration tool which produces both of them at the same time, the combined programming involving a process of demonstrating behavior using the widgets.
21. (Withdrawn) A computer programming method as in claim 20, wherein the process of demonstration includes:  
setting a state that causes a behavior; and  
modifying the state to produce a desired outcome state, wherein a complex behavior requires more than one pair of state and outcome state.
22. (Withdrawn) A computer programming method as in claim 21, wherein the inferencing engine infers a complex behavior of an automation system incrementally from a plurality of the state and outcome state pairs.
23. (Withdrawn) A computer programming method as in claim 21, wherein an example consists of one of the pairs of state and outcome state, such that the inferencing engine infers a complex behavior from a plurality of examples.